

HOLLER |||||



Branches and Industries

Gates that open for PERFECTION,
and close for PROTECTION

Version 2023 (1st ed.)

Our Success Story



Our customers always come first. We believe in subject matter expertise, in the power of teamwork and collaboration. Only satisfied customers guarantee our business success and our jobs in the long run.

Dear interested readers and customers,

We have been manufacturing high-quality aluminium gates and fences at our Wagna plant in Austria since 1992.

Our guiding principle is teamwork. We are convinced that a close cooperation with our customers is the cornerstone of good customer relationship and satisfaction. Teamwork is like a well-oiled machine with all departments interlocking to make sure it runs smoothly and efficiently. Our top priority is to maintain and promote this spirit of collaboration.

We accompany every project from consulting, planning and technical clarification to shipping, and are on hand even after your project is completed to provide comprehensive support and service.

This catalogue shall provide you a compact overview of our extensive product portfolio and the manifold areas of application. All our solutions, from industrial to residential gates, combine high quality of materials and excellent workmanship.

We hope you enjoy browsing through our catalogue. Feel free to contact us and we will be more than happy to assist.

Kind regards,

The team of Holler Tore

Sustainability

Reasonable and prudent use of energy, raw materials and production methods has always played a central role in our company.

Our today's decisions shape our tomorrow's world.

We process high-quality, durable materials by applying environmentally friendly and state-of-the-art technologies. Just another reason why our product lines HOLLER PRO, HOLLER HOME, and HOLLER DIY excel through highest quality and a very long lifetime. By adhering to these principles, we take responsibility for present and future generations.

Another key ambition is to promote actions that support the compatibility of work and family. Our new company restaurant and kindergarten make a significant contribution to this goal by supporting everyday family life and improving and encouraging the work-life balance of our employees.

Our 7 principles of sustainability and social responsibility

1. Photovoltaic systems

To contribute to a greener environment, our production processes take advantage of the powerful photovoltaic system installed on the roof of the production halls which converts the radiation of the sun into usable energy.

2. Façade greening

Façade greening with vertical green walls serves as natural insulation and protects our production halls from heating up in summer and reduces heating costs in winter.

3. Busy bees

Façade greening as "natural air conditioning" is a valuable habitat and an important source of food for animals such as butterflies, birds, and especially our amazing bees. We are committed to sustainability and the preservation of biodiversity and support local farming by creating additional green spaces.

4. Electric vehicles

The electric vehicles in our fleet encourage the establishment of a quiet, efficient, and clean electric mobility. Thanks to their environmentally friendly drive systems, electric motors are an innovative and efficient alternative to conventional combustion engines.

5. Wastewater-free powder coat finish

Our electrostatic powder coating plant is the largest in Austria and one of the most environmentally friendly and efficient systems for surface treatment worldwide. We rely on a wastewater-free process water and sink treatment that does not compromise the environment.

6. Waste heat utilisation and organic district heating

Our production halls are heated both by waste heat generated during the thermal processes in production and by climate-neutral district heating supplied by the nearby biomass heating plant.

7. Company childcare facilities

Thanks to our company kindergarten parents need less time to drop off or pick up their children. Opening hours of the childcare facilities are tailored to the needs of employees and thus reconciled with parents' work schedules.



Your Benefits



Single source supplier

The vertical range of production comprises the entire development, planning, and production. Also the powder coating is carried out in our factory. Each product that leaves our company is carefully checked and tested prior to delivery.

Unique and custom-made products

The profiles, developed specifically for our gates and fences, deliver customised and creative solutions for a wide range of applications. We exclusively use the highest quality materials to manufacture our products. As a result, all products are made with genuine and exceptional craftsmanship, and maximum precision.

Quality

Aluminium, corten steel, glass and stainless steel are only some of the materials that we use to produce our gates and fences. All products of the series HOLLER PRO and HOLLER HOME are provided with a high-quality powder coat finish. Maximum weather resistance, easy care, and scratch-resistant surfaces guarantee beauty and quality for many years.

Traditional engineering skills and innovation

Our unique aluminium, welding, screwing and clip&glue systems are highly reliable and guarantee a maximum level of quality. All solutions are manufactured state-of-the-art and robot-assisted in one of the most modern sliding gate factories in Europe, covering a surface of approximately 25,000 m².

Teamwork and social responsibility

Teamwork is the decisive factor in the production and distribution of our products. Each component passes through various departments and is carefully checked and revised at each production step by our highly qualified employees. Our teams in sales and shipping are committed to smooth and customer-oriented work-flows in order processing.

Certification and Awards

Our products meet strict quality standards and comply with the requirements of ISO 9001, EN 1090 and EN 13241-1. Holler Tore GmbH has developed into a lead company of the Austrian economy.

International support and service

We work together with numerous companies and organisations from the public and non-profit sector in more than 30 countries all over the world.

Our international sales network allows us to react quickly, efficiently and with high flexibility to the requirements and needs of our customers.

We are on hand after project completion to provide comprehensive customer support and service.

Our Products

Our products are manufactured in our factory which covers a surface of approximately 25,000 m². The vertical range of production at the Wagna production site comprises the entire research and development, planning, and production. Our R&D team is engaged in the continuous development, testing and implementation of new manufacturing processes and cutting-edge technologies which always keep us one step ahead of our competition.

Responding to the demands of the global market, our systems are sold through three different product lines.

HOLLER |||||
GATES - FENCES - AUTOMATION

Manufacturer

HOLLER ||||| PRO

Systems for
the industry

HOLLER ||||| HOME

Systems for
the private sector

HOLLER ||||| DIY

Do-It-Yourself systems

This product line is characterised by power and strength as well as stability and durability. These systems are specifically and primarily designed for use in industrial and commercial areas, combining strength and reliability with aesthetic sensibility. The gates and fences of this product line are fully customisable, and therefore unique in design and construction.

Our product line for the private sector convinces with maximum flexibility and great variety. The stylish gates and fences are tailored to the requirements of private customers, and guarantee privacy and protection in combination with a high degree of architectural aesthetics.

Our modular Do-It-Yourself systems are based on standardised components that offer innumerable design possibilities and can easily be adapted to existing situations. Pre-drilled holes and the provided fastening material facilitate assembly. No special tools are required.



Our Products

HOLLER PRO




HOLLER PRO Sliding Gate Classic

Width: max. 25,000 mm, cantilever
Height: max. 2,500 mm
Special constructions up to a height of 5,000 mm



HOLLER PRO Sliding Gate ECO

Width: max. 10,000 mm, cantilever
Height: max. 2,500 mm



HOLLER PRO Sliding Gate on sloping ground

Width: max. 25,000 mm cantilever
Height: max. 2,500 mm
Sliding gates on sloping ground up to 8%
Special constructions up to a height of 5,000 mm



HOLLER PRO Telescopic Sliding Gate

Width: max. 25,000 mm, cantilever
Height: max. 2,500 mm
Special constructions up to a height of 5,000 mm



HOLLER PRO Extra++

Custom-made
Foil print, milled, laser-cut, and much more ...



HOLLER PRO Sliding Gate Galaxy

Sliding gate with rounded corners, specially nipped perforated sheet with logo, straight bracing and integrated LED lighting



HOLLER PRO Sliding Gate floor-guided

Width: max. 50,000 mm
 Height: max. 2,500 mm
 Special constructions up to a height of 6,000 mm



HOLLER PRO Swing Gate Classic

Width: max. 12,000 mm, single leaf
 Height: max. 2,500 mm
 Special constructions up to a height of 5,000 mm



HOLLER PRO Bi-folding Speed Gate Quattro Premium

Width: max. 10,000 mm
 Height: max. 5,000 mm
 Also available as single leaf gate.




HOLLER PRO Bi-folding Speed Gate Quattro ECO

Width: max. 8,000 mm
 Height: max. 3,000 mm
 Also available as single leaf gate.



HOLLER PRO Barrier 60+

Span max. 6,000 mm with
 LED beam illumination



HOLLER PRO Pedestrian Gate Classic

Width: max. 1,500 mm
 Height: max. 2,500 mm
 Special constructions up to a height
 of 5,000 mm



HOLLER PRO Pedestrian Gate Industry

Width: max. 1,500 mm
 Height: max. 2,500 mm

Our Products

HOLLER ||||| HOME



HOLLER HOME Sliding Gate

Width: max. 6,000 mm, cantilever
Height: max. 2,000 mm



HOLLER HOME Swing Gate

Width: max. 4,500 mm
Height: max. 2,000 mm




HOLLER HOME Extra++

Custom-made



HOLLER HOME Pedestrian Gate


Width: max. 1,500 mm
Height: max. 2,000 mm



HOLLER HOME Fence

In many different designs

Smart Columns



Control and intercom columns HST5

- Aluminium
- 150 x 150 mm
- Height: max. 2,500 mm
- Designed to integrate with other gate and fence solutions made by HOLLER




Control and intercom columns HST21

- Aluminium
- 220 x 170 mm
- Height: max. 2,500 mm
- Designed to integrate with other gate and fence solutions made by HOLLER



Control and intercom columns HST27

- Aluminium
- 450 x 150 mm
- 450 x 300 mm
- Height: max. 3,500 mm
- Designed to integrate with other gate and fence solutions made by HOLLER



Letterbox column

- Aluminium
- 450 x 150 mm
- 450 x 300 mm
- Flush mount flap
- Available in different heights



Parcel box column

- Aluminium
- 450 x 450 mm
- 650 x 450 mm
- One-time opening or code keypad
- Available in different heights

Our Products

HOLLER DIY



HOLLER PRO Sliding Gate VARO

Sliding gate in modular industrial design
Width: max. 8,000 mm, cantilever
Height: max. 2,500 mm



HOLLER DIY Sliding Gate

Widths: 3,000, 4,000, 5,000, 6,000 mm
Height: max. 2,000 mm
Manual and automatic operation



HOLLER DIY Swing Gate

Widths: 2,340, 3,340, 4,340 mm
Height: max. 2,000 mm
Manual and automatic operation



HOLLER DIY Fence

Width: 2,510 mm
Height: max. 2,015 mm



HOLLER DIY Pedestrian Gate

Width: 1,200 mm
Height: max. 2,000 mm
Manual operation

Solutions for different branches and industries

As a manufacturer of perimeter protection systems, we supply our customers with high-quality aluminium gate and fence systems. 30 years of experience in manufacturing, international project business, and cooperation with our sales partners, are the cornerstones of our success, and maximise our ability to provide customers with tailored solutions and comprehensive customer service.



Airports



Industry



Correctional facilities



Power plants



Logistics



Seaports



Military



Embassies



Public facilities



Government



Private properties



DIY - Do-It-Yourself

Perimeter protection at airports is achieved by a combination of mechanical and sensory components. These include conventional external protection or innovative, certified barriers at external access and parking areas, efficient vehicle gates equipped with bi-folding speed gates or combinations of barriers and sliding gates.

HOLLER PRO

Barrier 60+
Max. span 6 m

*Here: barrier, automatic operation
Span: 4.5 m incl.
LED beam illumination
Finish casing: RAL 7040 - window grey
Finish beam: white with red safety strip*

HOLLER PRO

Sliding Gate Classic, floor-guided
Width: max. 50 m
Height: max. 6 m

*Here: sliding gate with bar infill
Width: 18 m, height: 2.5 m
Finish: RAL 9010 - pure white
Drive system: HOLLER H250E*

HOLLER PRO

Sliding Gate Classic, cantilever
Width: max. 25 m
Height: max. 5 m

*Here: sliding gate with bar infill including finger protection
Width: 25 m, height: 2 m
Finish: RAL 9010 - pure white
Drive system: HOLLER H250
Pedestrian gate including finger protection*



HOLLER PRO

Fence
Height: max. 2 m

*Here: fence with continuous bar filling
Height: 2 m
Finish: RAL 7016 - anthracite grey*

HOLLER PRO

Telescopic Sliding Gate
Width: max. 25 m
Height: max. 5 m


*Here: telescopic sliding gate, 3-fold with bar infill
Width: 14 m, height: 2.5 m
Finish: RAL 6005 - moss green Drive system: H250T*




HOLLER PRO

Bi-folding Speed Gate Quattro Premium
Width: max. 10 m
Height: max. 5 m

*Here: bi-folding speed gate, 2-leaf, automatic operation with tight double welded mesh infill
Width: 7 m, height: 4 m
Finish: RAL 7040 - window grey*





No two industrial sites are alike and each requires its own security solution. Unauthorised access to the company premises is prevented, access is regulated and boundaries are defined. We offer the most suitable gate and fence solution. Adequate perimeter protection prevents loss from inventory shrinkage and property damage, and reduces security staff costs by effectively controlling pedestrian and vehicle access - when 24-hour surveillance is not required.

HOLLER PRO

Barrier 60+
 Max. span: 6 m
*Here: barrier, automatic operation
 Span: 5 m including tip support and
 LED beam illumination
 Finish: RAL 7040 - window grey
 Finish beam: white with red safety strip*

HOLLER PRO

Bi-folding Speed Gate Quattro Premium
 Width: max. 10 m
 Height: max. 5 m
*Here: bi-folding speed gate, 2-leaf, automatic operation
 with bar infill
 Width: 4 m, height: 5 m
 Finish: RAL 7040 - window grey*

HOLLER PRO

Fence
 Height: max. 2 m
*Here: fence with bar infill
 Spike strip for anti-climb protection
 Finish: RAL 9005 - jet black*



HOLLER PRO


Sliding Gate Classic, cantilever
 Width: max. 25 m
 Height: max. 5 m
*Here: sliding gate with bar infill
 Width: 12 m, height: 1.5 m
 Finish: RAL 6009 - fir green
 Drive system: HOLLER H120*

HOLLER PRO

Sliding Gate Classic, cantilever
 Width: max. 25 m
 Height: max. 5 m
*Here: sliding gate with plain sheet
 metal infill, on frame outside and inside,
 including logo, plexiglass background and
 illumination
 Width: 8.2 m, height: 1.8 m
 Finish: architecture mica colour, dark grey
 Drive system: HOLLER H120*

HOLLER PRO

Pedestrian Gate Industry
 Width: max. 1.5 m
 Height: max. 2.5 m
*Here: pedestrian gate with bar infill
 Width: 1 m, height: 1.8 m incl.
 finger protection
 Finish: RAL 6009 - fir green*



Our HOLLER PRO product line symbolises power and strength, robustness, durability and reliability. Thus, our products are predestined for sensitive and safety-relevant applications.

HOLLER PRO


Bi-folding Speed Gate Quattro Premium
Width: max. 10 m
Height: max. 5 m

Here: bi-folding speed gate, 2-leaf, automatic operation with safety mat infill
Double lock and manipulation protection
Width: 8.5 m, height: 3 m
Finish: RAL 9007 - grey aluminium

HOLLER PRO

Sliding Gate Classic, floor-guided
Width: max. 50 m
Height: max. 6 m

Here: sliding gate with safety mat infill
Width: 11 m, height: 6 m with mullion extension for barbed wire fence
anti-burglary bolts and manipulation protection
Finish: RAL 9006 - white aluminium
Drive system: HOLLER H250E



HOLLER PRO

Barrier 60+
Max. span: 6 m

Here: barrier, automatic operation
Span: 5.5 m incl.
LED beam illumination and barrier skirt
Finish casing: RAL 2000 - yellow orange
Finish beam: white with red safety strip

HOLLER PRO

Sliding Gate Classic, floor-guided
Width: max. 50 m
Height: max. 6 m

Here: sliding gate with panel infill
Width: 6 m, height: 5 m
Anti-burglary bolt, magnetic lock
Finish: RAL 9007 - grey aluminium
Drive system: HOLLER H250E

Our products and solutions are developed, manufactured and tested for sensitive installations. Thanks to reliable safety options, such as emergency power supply, functionality is guaranteed even in the event of a disaster.

HOLLER PRO

Swing Gate Classic
Width: max. 12 m
Height: max. 2.5 m


Here: swing gate with plain sheet metal infill, inside and outside incl. non-transparent angle
Width: 4.5 m, height: 2 m
Finish: RAL 7016 - anthracite
Drive system: HOLLER H30-2



HOLLER PRO

Bi-folding Speed Gate Quattro ECO
Width: max. 8 m
Height: max. 3 m

Here: bi-folding speed gate, 2-leaf, automatic operation, bar infill and laser cut in base
Width: 4 m, height: 3 m
Finish: RAL 9006 - white aluminium



HOLLER PRO

Barrier 60+
Max. span: 6 m

Here: barrier, automatic operation
Span: 6 m incl. LED beam illumination
RAL 9006 - white aluminium
Finish beam: white with red safety strip



HOLLER PRO

Telescopic Sliding Gate
Width: max. 25 m
Height: max. 5 m

Here: telescopic sliding gate 3-fold with bar infill
Width: 14 m, height: 1.8 m
Finish: RAL 9006 - white aluminium
Drive system: HOLLER H250T

The risk of sabotage, theft or other attacks is always present. Our high-quality solutions not only protect assets, access, parking lots and ramps, but also you and your employees.

HOLLER PRO

Barrier 50 manual operation
Max. span: 5 m


*Here: barrier, manual operation
Span: 4.5 m
Finish: RAL 3003 - flame red*



HOLLER PRO

Fence
Height: max. 2 m

*Here: fence with continuous bar fillings
Height: 2 m
Finish: RAL 9005 - jet black*



HOLLER PRO

Sliding Gate Galaxy Gate
Width: max. 25 m
Height: max. 5 m

*Here: sliding gate Galaxy Gate with sheet metal infill,
special affixing and LED lighting around the frame
Width: 12 m, height: 1.8 m
Finish: RAL 6026 - opal green
Drive system: HOLLER H120*



HOLLER PRO

Pedestrian Gate
Width: max. 1.5 m
Height: max. 2.5 m

*Here: pedestrian gate with bar infill
Width: 0.8 m, height: 2 m
Finish: RAL 7016 - anthracite*



In seaport areas there are many challenges such as customs restricted zones, risk of theft, but also unfavourable weather, strong wind and heavy vehicles. Our gates, fences and barriers guarantee a high level of security and reliability.

HOLLER PRO


Bi-folding Speed Gate Quattro ECO
Width: max. 8 m
Height: max. 3 m

Here: bi-folding speed gate, 2-leaf, automatic operation, bar infill and laser cut in the base

HOLLER PRO

Barrier 60+
Max. span: 6 m

*Here: barrier, automatic operation
Span: 5 m incl. LED beam illumination
RAL 7040 - window grey
Finish beam: white with red safety strip*



HOLLER PRO

Letterbox and intercom column HST 27
Height: max. 2.5 m

*Here: letterbox column with letter drop slot outside and collection door inside, special cut-out
Finish: RAL 7016 - anthracite*

HOLLER PRO

Pedestrian Gate
Width: max. 1.5 m
Height: max. 2.5 m

*Here: pedestrian gate with bar infill
Width: 1 m, height: 2 m
Finish: RAL 7016 - anthracite*

Our customers from the military sector trust in our tested products that comply with the highest safety standards, and in our reliable service quality. Our gate and fence solutions protect sensible areas from unauthorised access.

HOLLER PRO

Barrier 60+
Max. span: 6 m

*Here: barrier, automatic operation
Span: 5 m including
LED beam illumination
Finish casing: RAL 7016 - anthracite
Finish beam: white with red safety strip*

HOLLER PRO


Sliding Gate VARO
Width: max. 9 m
Height: max. 2 m

*Here: sliding gate with bar infill
Width: 9 m, height: 2 m
Finish: RAL 9006 - white aluminium
Drive system: HOLLER H100*

HOLLER PRO

Bi-folding Speed Gate Quattro ECO
Width: max. 8 m
Height: max. 3 m

Here: bi-folding speed gate, 2-leaf, automatic operation, bar infill and laser cut in the base



HOLLER PRO


Sliding Gate Classic, cantilever
Width: max. 25 m
Height: max. 5 m

*Here: sliding gate with sheet metal infill
Width: 8.23 m, height: 1.7 m
Finish: RAL 6016 - turquoise green
Drive system: HOLLER H120*

HOLLER PRO

Fence
Height: max. 2.5 m

*Here: fence with continuous round bar infill
Height: 2 m
Finish: RAL 9005 - jet black*



Reliable protection of access roads with sensitive infrastructure, such as embassies, is a top priority for us. Our solutions include time-controlled night closure, access for employees based on RFID technology and controlled entrance and exit for suppliers and visitors. Outstanding and prestigious design for high demands.

HOLLER PRO


Barrier 60+
Max. span: 6 m

*Here: barrier, automatic operation
Span: 4.5 m including
LED beam illumination
RAL 7040 - window grey
Finish beam: white with red safety strip*

HOLLER PRO

Swing gate Classic, 2-leaf
Width: max. 10 m
Height: max. 2.5 m

*Here: swing gate with closed
cassette infill, safety lock
Width: 4 m, height: 2 m
Finish: architecture mica colour, dark grey*



HOLLER PRO

Bi-folding Speed Gate Quattro Premium
Width: max. 10 m
Height: max. 5 m

*Here: bi-folding speed gate, 2-leaf, automatic operation
with prestigious special laser cut, double safety lock
Width: 6 m, height: 5 m
Finish: special colour*

HOLLER PRO

Fence
Height: max. 2 m

*Here: fence with continuous bar filling
Height: 2 m
Finish: RAL 6009 - fir green*

Public facilities require a balance between security, transparency, and openness. Our gates and fences are ideally suited to protect schools, kindergartens and other public facilities against traffic hazards or unauthorised access, while at the same time ensuring a high level of transparency.

HOLLER PRO


Sliding Gate ECO
Width: max. 10 m
Height: max. 2.5 m

Here: sliding gate with continuous round bar infill
Width: 9 m, height: 2 m
Finish: RAL 6009 - fir green
Drive system: HOLLER H100

HOLLER PRO

Sliding Gate Classic, cantilever
Width: max. 25 m
Height: max. 5 m

Here: sliding gate with sheet metal infill, covering frame
Width: 9 m, height: 1.9 m
Finish: special colour green
Drive system: HOLLER H100



HOLLER PRO

Barrier 60+
Max. span: 6 m

Here: barrier, automatic operation
Span: 6 m incl. LED beam illumination
Finish casing: RAL 5005 - signal blue
Finish beam: white with red safety strip

HOLLER DIY

Fence panel, supplied as kit
Width: 2,510 mm (shortenable in width)
Heights: 1,015, 1,215, 1,415, 1,615, 1,815 or 2,015 mm

Here: fence panel with beaded sheet metal and perforated sheet strip
Width: 2,510 mm, height: 2,015 mm
Finish: RAL 9006 - white aluminium



Data theft or destruction can cause immense image damage and high material loss. This applies to both public and private areas. Our solutions efficiently protect sensible objects against vandalism and attacks.

HOLLER PRO

Bi-folding Speed Gate Quattro Premium

Width: max. 10 m

Height: max. 5 m

Here: bi-folding speed gate, 2-leaf, automatic operation with lamella infill

Width: 8 m, height: 3.5 m

Finish: RAL 9007 - grey aluminium

HOLLER PRO

Sliding Gate Classic, cantilever

Width: max. 25 m


Height: max. 5 m

Here: sliding gate with bar infill

Width: 7 m, height: 3 m

Finish: RAL 9006 - white aluminium

Drive system: HOLLER H120



HOLLER PRO

Barrier 60+

Max. span: 6 m

Here: barrier, automatic operation

Span: 4.5 m including

LED beam illumination

Finish casing: RAL 9010 - pure white

Finish beam: white with red safety strip

HOLLER PRO

Sliding Gate Classic, cantilever

Width: max. 25 m

Height: max. 5 m

Here: sliding gate with mykadoo infill

Width: 8 m, height: 2.1 m

Finish: RAL 9005 jet black

Drive system: HOLLER H100

HOLLER PRO

Bi-folding Speed Gate Quattro ECO

Width: max. 8 m

Height: max. 3 m

Here: bi-folding speed gate, 1-leaf, automatic operation with bar infill

Width: 6 m, height: 2.5 m

Finish: RAL 7030 - stone grey



Our product line HOLLER HOME convinces with maximum flexibility and great variety. The stylish gates and fences are tailored to the requirements of private homes. They guarantee privacy and protection in combination with a high degree of architectural aesthetics.

HOLLER HOME

Swing Gate
Width: max. 6 m Height: max. 2 m


*Here: swing gate AMSTERDAM, infill slat 80
Width: 3.5 m, height: 1.6 m
Finish: RAL 9006 - white aluminium
Drive system: HOLLER H30-2*



HOLLER HOME

Fence
Height: max. 2 m

*Here: fence PLAIN SHEET METAL,
Height: 1.5 m
Finish: RAL 7016 - micro-structure anthracite*



HOLLER HOME

Pedestrian gate
Width: max. 1.5 m
Height: max. 2 m

*Here: pedestrian gate,
infill CUMERA 100
Finish: two-coloured*




HOLLER HOME

Fence
Height: max. 2 m

*Here: fence PARIS, infill palisade with onion dome finial
Height: 1.2 m
Finish: architecture mica colour, dark grey
and light grey*





Our modular Do-It-Yourself systems are based on standardised components that offer innumerable design possibilities and can easily be adapted to existing situations. Pre-drilled holes and the provided fastening material facilitate assembly. No special tools are required.

HOLLER DIY


Sliding gate, cantilever, supplied as kit
Widths: 3,000, 4,000, 5,000 and 6,000 mm
Heights: 1,000, 1,200, 1,400, 1,600, 1,800 or 2,000 mm. Manual or automatic operation

*Here: sliding gate with beaded sheet metal and perforated sheet strip
Width: 5 m, height: 1.60 m
Finish: RAL 7016 - anthracite
Drive system: DIY HOLLER H60*

HOLLER DIY

Fence panel, supplied as kit
Width: 2,510 mm (shortenable in width)
Heights: 1,015, 1,215, 1,415, 1,615, 1,815 or 2,015 mm

*Here: fence panel with beaded sheet metal and perforated sheet strip
Width: 2,510 mm, height: 1,615 mm
Finish: RAL 6005 - moss green*



HOLLER DIY

Swing gate, 2-leaf, supplied as kit
Widths: 2,340, 3,340 or 4,340 mm
Heights: 1,000, 1,200, 1,400, 1,600, 1,800 or 2,000 mm
Manual or automatic operation

*Here: swing gate with beaded sheet metal and square pitches
Width: 3.34 m, height: 1.6 m
Finish: RAL 9006 - white aluminium
Drive system: DIY for swing gates with fence panel*

HOLLER DIY

Pedestrian gate, supplied as kit
Width: 1,200 mm
Heights: 1,000, 1,200, 1,400, 1,600, 1,800 or 2,000 mm
Manual operation, optionally with electronic opener

*Here: pedestrian gate with horizontal slat 100
Width: 1.2 m, height: 1.6 m
Finish: RAL 7016 anthracite*

Customisation


Design

Round or square shapes, stylish and modern materials such as corten steel and glass: Gates with character are real eye-catchers. Our engineering team manages the technical implementation of all customer-specific requirements. Exquisite accessories such as illumination with LED lighting and individual logos transform each gate into a unique masterpiece.



Security and Safety

All systems are manufactured in accordance with the latest CE mark requirements and the product standard for powered doors and gates EN 13241-1. Our automatic sets include all required safety devices. In particularly sensitive areas, additional accessories are available, such as the HOLLER PRO Safety Plus, a non-pressure sensitive safety contact edge that detects any potential obstructions early before a collision.



Functionality

Our product range includes numerous modern and "smart" solutions such as position controls, home automation and operation with mobile phones via GSM. We also provide "classic" solutions such as remote control, key switch and combination locks.



We have been manufacturing high-quality aluminium gates and fences at our Wagna plant in Austria since 1992.

Curiosity and passionate enthusiasm for technology are our motor and motivation. Our engineering team is focused on the development of innovative solutions but also works on the optimisation of existing products to potentially improve them. We trust in traditional craftsmanship and the most advanced technology to deliver tailor-made solutions for a broad product portfolio.

Our highly qualified team accompanies every project from consulting, planning and technical clarification to shipping. We are on hand even after project completion to provide comprehensive support and service.

Your local partner

Holler Tore GmbH

Dorfstraße 31
8435 WAGNA
AUSTRIA

Tel. +43 3452 86031
Fax +43 3452 75831

mail@holler-tore.at
www.holler-tore.at

